

F

F

E

E

D

D

C

C

B

B

A



A

Unit Specifications:


- Compressor: (1) Scroll, Copeland or Equivalent
- Condensers: (1) Vented Double Wall Brazed Plate
- Evaporators: (1) Single Wall Brazed Plate
- Potable Water Pump: (1) 1/8 HP (125 Max PSI, Optional)
- Source Water Pump: Provided by Others
- Control: Electromechanical
- Microprocessor (PLC) (Optional)
- Frame: 304 SST (Standard)
- Approximate Ship Weight 385 lbs (EST)
- Refrigerant: R134a

- Available Options:
- Low Source Evaporator
 - High Source Kit
 - Insulated Cabinet
 - NEMA 1 Electrical Enclosure or Better
 - Spring Isolation Kit

- Cabinet Material Options:
- Mill Finish Aluminum
 - Galvanized Steel
 - 304 Stainless Steel
 - 316 Stainless Steel





SERVICE CLEARANCE



Scale 1:30

MECHANICAL ACCESS

ELECTRICAL UTILITY ACCESS



SCALE 1:16



TIE DOWN LOCATIONS

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF COLMAC INDUSTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF COLMAC INDUSTRIES IS PROHIBITED.

REV. No.	REV STATUS OF SHEET	ENGINEER	DATE	SIZE	DWG. NO.	REV
		GPK	10/15/2015	B	1010002-0006	
SHT. No.	DO NOT SCALE DRAWING	SOLIDWORKS	AUTOCAD	SCALE 1:16	UNIT WT.	SHEET 1 OF 1

UNLESS OTHERWISE SPECIFIED:
 DIMENSIONS ARE IN INCHES
 TOLERANCES:
 FRACTIONAL ±1/16
 ANGULAR: MACH±1° BEND ±1°
 TWO PLACE DECIMAL ±0.03
 THREE PLACE DECIMAL ±0.031

COLMAC INDUSTRIES
 401 N. Lincoln, Colville, Washington 99114
 (509)684-4505

TITLE:
**GENERAL SUBMITTAL
 HPW 2-V (TOWER)**

1010002-0005





4/22/2015

Unit Specifications:


- Compressor: (1) Scroll, Copeland or Equivalent
- Condensers: (1) Vented Double Wall Brazed Plate
- Evaporators: (1) Single Wall Brazed Plate
- Potable Water Pump: (1) 1/8 HP (125 Max PSI, Optional)
- Source Water Pump: Provided by Others
- Control: Electromechanical
- Microprocessor (PLC) (Optional)
- Frame: 304 SST (Standard)
- Approximate Ship Weight 385 lbs (EST)
- Refrigerant: R134a

- Available Options:
- Low Source Evaporator
 - High Source Kit
 - Insulated Cabinet
 - NEMA 1 Electrical Enclosure or Better
 - Spring Isolation Kit

- Cabinet Material Options:
- Mill Finish Aluminum
 - Galvanized Steel
 - 304 Stainless Steel
 - 316 Stainless Steel



RECOMMENDED SERVICE CLEARANCE



UNLESS OTHERWISE SPECIFIED:
 DIMENSIONS ARE IN INCHES
 TOLERANCES:
 FRACTIONAL ±1/16
 ANGULAR: MACH ±1° BEND ±1°
 TWO PLACE DECIMAL ±0.03
 THREE PLACE DECIMAL ±0.031

COLMAC INDUSTRIES
 401 N. Lincoln, Colville, Washington 99114
 (509)684-4505

GENERAL SUBMITTAL
 HPW 2

DRAWN BY DATE
 RLR 9/3/23/2015

ENGINEER DATE

SOLIDWORKS AUTOCAD

DO NOT SCALE DRAWING

SIZE DWG. NO. REV

B 1010002-0005 -

SCALE: 1:12 UNIT WT. SHEET 1 OF 1

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF COLMAC INDUSTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF COLMAC INDUSTRIES IS PROHIBITED.

REV. No.	REV STATUS OF SHEET

4/22/2015
1010002-0005